



Kao Corporation, S.A.

Member of Kao Chemicals Europe

Puig dels Tudons, 10 - E-08210 - Barberà del Vallès
 Phone : +34-93-7399300 e-mail : marketing@kao.es
 Fax : +34-93-7399377 Web : www.kaochemicals-eu.com




APROVADO

Dep. Qualidade

OXIDET® DM-20

- Amine Oxide
- Fragrances solubilizer and thickener in bleaches based on Sodium Hypochlorite
- Non-ionic / cationic surfactant (pH dependant)

CHEMICAL IDENTIFICATION



R = C12

INCI Name : Lauramine Oxide

CAS Number : 1643 - 20 - 5

TECHNICAL SPECIFICATIONS

		Kao Method
COLOUR (Apha):	100 max.	KCSA-207
ACTIVE MATTER (Ew = 230, %):	29 - 31	KCSA-129
FREE AMINE (Ew = 214, %) :	1.0 max	KCSA-112
PEROXIDES VALUE (as H ₂ O ₂ , %) :	0.1 max	KCSA-040
pH (5% in water) :	6.0 - 8.0	KCSA-014

OXIDET® DM-20

TYPICAL PROPERTIES

APPEARANCE (20°C) :	Yellowish transparent liquid
SOLUBILITY IN WATER (g/ml):	Soluble
MELTING POINT (°C) :	< -5°C
HEAVY METALS (ppm) :	Cobalt : < 0.5
	Nickel : < 0.5
	Chromium: < 0.5
	Iron : < 0.5
CHARACTER :	Non-Ionic / Cationic (pH dependence)

APPLICATION PROPERTIES

- OXIDET® DM-20 is an excellent foam booster in mixtures of surfactants.
- OXIDET® DM-20 is stable in sodium hypochlorite solutions, at basic pH, performing as perfume solubilizer and thickener.
- OXIDET® DM-20 is also stable in the presence of electrolytes and hard water.

STORAGE – HANDLING – SHELF LIFE

- OXIDET® DM-20 is chemically stable for a long period of time under appropriate storage conditions (temperature of 25°C and original unopened container).
- In the case of long storage time, it is advisable to homogenize the product before its use, especially if it has been submitted to low temperatures. Small changes in the appearance can be easily recovered by applying a moderate agitation at 25-30°C. A general advise is to use the complete container every time.
- The shelf life of OXIDET® DM-20 can be considered of 2 years minimum under proper storage conditions. After longer storage time some of its characterising parameters (odour, appearance, colour ,pH,...), should be checked before using it.
- Avoid direct sunlight.

The information and recommendations in this publication are to the best of our knowledge reliable. However, nothing herein is to be construed as a warranty or representation. Users should make their own tests to determine the applicability of such information or the suitability of any products for their own particular purpose. Statements concerning the use of the products described herein are not to be construed as recommending the infringement of any patent and no liability for infringement arising out of any such use is assumed.